JOURNAL OF THE SCIENCE OF FOOD AND AGRICULTURE

Contents of volume 81

ISSUE 1

Editorial

From field to fork
R Dowdell (UK), D S Reid (USA) and J Bolgar (UK) 1

Featured Article

Linking agricultural production and human nutrition
B O Schneeman (USA) 3

Review

Why do we like what we like?
D J Mela (The Netherlands) 10

Papers

Evaluation of starch analysis methods for feed samples
M B Hall, J P Jennings, B A Lewis and J B Robertson (USA) 17

Exposure to hypoxia conditions alters volatile concentrations of apple cultivars
J Dixon and E W Hewett (New Zealand) 22

Multivariate assessment of canning quality, chemical characteristics and yield of small white canning beans (*Phaseolus vulgaris* L) in South Africa
A De Lange and M Labuschagne (South Africa) 30

Determination of phytic acid in feeds and faeces of pigs and poultry by capillary isotachophoresis
D Dušková, M Marounek and P Březina (Czech Republic) 36

Effect of enzymatic modification of milk proteins on flavour and textural qualities of set yoghurt
H R Hemantha Kumar, P Vincent Monteiro, G S Bhat and H G Ramachandra Rao (India) .. 42

Improvement of lipid stability of rabbit meat by vitamin E and C administration
C Castellini, A Dal Bosco and M Bernardini (Italy) 46

Sensory quality of ethylene-exposed carrots (*Daucus carota* L, cv 'Yukon') related to the contents of 6-methoxymellein, terpenes and sugars
R Seljåsen, H Hoftun and G B Bengtsson (Norway) 54

Possibility of improving the quality characteristics of olive-pomace oil and enhancing its differentiation from refined olive-pomace oil
T Gomes and F Caponio (Italy) 62

Structural characteristics and rheological properties of locust bean galactomannans: a comparison of samples from diffeent carob tree populations
A Lazaridou, C G Biliaderis (Greece) and M S Izydorczyk (Canada) 68

Aggregation behaviour of bovine serum albumin as a cause of sauce liquid separation by heating
K Nishimura, M Goto, T Higasa, S Kawase and Y Matsumura (Japan) 76

Tenderness and yields of poultry breast are influenced by phosphate type and concentration of marinade
M Zheng, N A Detienne, B W Barnes and L Wicker (USA) 82

Fumonisin B_1, zearalenone and deoxynivalenol production by *Fusarium moniliforme*, *F proliferatum* and *F graminearum* in mixed cultures on irradiated maize kernels
A Velluti (Uruguay), S Marín, R Gonzalez, A J Ramos and V Sanchis (Spain) 88

Performance of quinoa (*Chenopodium quinoa* Willd) flour in the manufacture of gluten-free spaghetti
L C Caperuto, J Amaya-Farfan and C R O Camargo (Brazil) 95

Effect of chitin and chitosan on gelling properties of surimi from barred garfish (*Hemiramphus far*)
S Benjakul, W Visessanguan (Thailand), M Tanaka, S Ishizaki (Japan), R Suthidham and O Sungpech (Thailand) 102

Quality of *enoki* mushrooms as affected by packaging conditions
J-S Kang, W-P Park and D-S Lee (Korea) 109

Sunflower oil versus olive oil and iron metabolism in rats. Influence of a frying process
AM Pérez-Granados, MP Vaquero and MP Navarro (Spain) 115

Effects of bag capacity, storage time and temperature, and salt on the expansion volume of microwave popcorn
TA Allred-Coyle, RB Toma, W Reiboldt and M Thakur (USA) 121

Acetylation of faba bean legumin: conformational changes and aggregation
KD Schwenke, C Knopfe, A Seifert, E Görnitz and D Zirwer (Germany) 126

The effect of expander processing and pelleting on the nutritive value of feed for growing and finishing pigs
JV O'Doherty, SG McGlynn and D Murphy (Ireland) 135

The use of near-infrared reflectance spectroscopy (NIRS) to predict the composition of whole maize plants
D Cozzolino, A Fassio and A Gimenez (Uruguay) 142

Increased efficiency of wool growth and live weight gain in Merino sheep fed transgenic lupin seed containing sunflower albumin
CL White, LM Tabe, H Dove, J Hamblin, P Young, N Phillips, R Taylor, S Gulati, J Ashes and TJV Higgins (Australia) 147

Guest Communication

Pioneer studies in trace element contamination of the food chain: disregard of prior work risks re-inventing the wheel
F Beavington (UK) 155

Calendar of meetings 161

Instructions to authors of papers 2001 166

Recommendations of the Editorial Board on use of statistics in papers submitted to JSFA. Guidelines based on a report by AWA Murray (*J Sci Food Agric* Vol 42 (1988)) and updated by JW McNicol (October 1998) 171

ISSUE 2

Study of total fructan and fructooligoasaccharide content in different onion tissues
L Jaime, F Martínez, MA Martín-Cabrejas, E Mollá, FJ López-Andréu (Spain), KW Waldron (UK) and RM Esteban (Spain) 177

Iron chelation by digests of insoluble chicken muscle protein: the role of histidine residues
A Seth and RR Mahoney (USA) 183

Development of a relationship between olfactory response and major odorants from organic wastes
PJ Hobbs, TH Misselbrook, MS Dhanoa and KC Persaud (UK) 188

Antioxidant ability of BHT- and α-tocopherol-impregnated LDPE film in packaging of oatmeal
C Wessling, T Nielsen (Sweden) and JR Giacin (USA) 194

Physiological functions of Se-enriched tea fertilised with sodium selenite and naturally high-Se tea in rats
Q Hu, G Pan, X An and R Ding (People's Republic of China) 202

Soybean seeds surface-coated with depolymerised chitins: chitinase activity as a predictive index for the harvest of beans in field culture
S Hirano, M Hayashi and S Okuno (Japan) 205

Casein breakdown during ripening of Idiazabal cheese: influence of starter and rennet type
MS Vicente, FC Ibáñez, Y Barcina and LJR Barron (Spain) 210

A new candidate protein for high lysine content in wheat grain
J Singh, PJ Sharp and JH Skerritt (Australia) 216

Deep-fat frying of cassava: influence of raw material properties on chip quality
O Vitrac, D Dufour, G Trystram and A-L Raoult-Wack (France) 227

Olfactory and quantitative analysis of volatiles in elderberry (*Sambucas nigra* L) juice processed from seven cultivars
K Jensen, LP Christensen, M Hansen, U Jørgensen and K Kaack (Denmark) 237

Starch properties as affected by sorghum grain chemistry
T Beta (Zimbabwe), H Corke (Hong Kong), LW Rooney (USA) and JRN Taylor (South Africa) 245

Anthocyanin and colour evolution during maturation of four port wines: effect of pyruvic acid addition
C Romero and J Bakker (UK) 252

Interaction of (+)-catechin, (-)-epicatechin, procyanidin B2 and procyanidin C1 with pooled human saliva *in vitro*
S Kallithraka, J Bakker and MN Clifford (UK) 261

Effect of chitosan on incidence of brown rot, quality and physiological attributes of postharvest peach fruit
H Li and T Yu (People's Republic of China) 269

Disappearance of Maillard reaction products during ensilage and rumen fermentation *in vitro*
N Nishino and S Uchida (Japan) 275

Structural and chemical changes in cocoa (*Theobroma cacao* L) during fermentation, drying and roasting
ES de Brito, NH Pezoa García, MI Gallão, AL Cortelazzo (Brazil), PS Fevereiro (Portugal) and MR Braga (Brazil) 281

Calendar of meetings 289

ISSUE 3

Free amino acid composition in primary and secondary inflorescences of 11 broccoli (*Brassica oleracea* var *italica*) cultivars and its variation between growing seasons
MH Gomes and E Rosa (Portugal) 295

Bovine casein peptides co-stimulate naive macrophages with lipopolysaccharide for proinflammatory cytokine production and nitric oxide release
C Xiao, LZ Jin and X Zhao (Canada) 300

Effect of the addition of maltodextrins and sucrose on the ice-melting onset of minced fish muscle
JJ Herrera, L Pastoriza (Spain) and P Nesvadba (UK) 305

Cell wall compositions of raw and cooked corms of taro (*Colocasia esculenta*)
ML Quach, LD Melton, PJ Harris, JN Burdon and BG Smith (New Zealand) 311

Potato starches: variation in composition and properties between three genotypes grown at two different sites and in two different years
IM Morrison, MP Cochrane, AM Cooper, MFB Dale, CM Duffus, RP Ellis, A Lynn, GR Mackay, LJ Paterson, RDM Prentice, JS Swanston and SA Tiller (UK) 319

Purification and some properties of a novel raw starch-digesting amylase from *Aspergillus carbonarius*
BN Okolo, FS Ire, LI Ezeogu, CU Anyanwu and FJC Odibo (Nigeria) 329

Magnetic resonance imaging of connective tissue: a non-destructive method for characterising muscle structure
J-M Bonny, W Laurent, R Labas, R Taylor, P Berge and J-P Renou (France) 337

Mechanism of *Salmonella* reduction in fermented pig feed
RL van Winsen, LJA Lipman, S Biesterveld, BAP Urlings, JMA Snijders and F van Knapen (The Netherlands) 342

Hypolipidemic effect of enzymatically extracted sunflower seed protein fraction
M Sen and DK Battacharyya (India) 347

Alkylresorcinols as antioxidants: hydrogen donation and peroxyl radical-scavenging effects
A Kamal-Eldin, A Pouru, C Eliasson and P Åman (Sweden) 353

The mozzarella cheese flavour profile: a comparison between judge panel analysis and proton transfer reaction mass spectrometry
F Gasperi, G Gallerani, A Boschetti, F Biasioli, A Monetti, E Boscaini (Italy), A Jordan, W Lindinger (Austria) and S Iannotta (Italy) 357

Role of fermentative and antioxidant metabolisms in the induction of core browning in controlled-atmosphere stored pears
E Pinto, I Lentheric, M Vendrell and C Larrigaudière (Spain) 364

Calendar of meetings 371

ISSUE 4

A DSC study on the effects of various maltodextrins and sucrose on protein changes in frozen-stored minced blue whiting muscle
JJ Herrera, L Pastoriza and G Sampedro (Spain) 377

Fluorescence study of the pro-oxidant effect of free fatty acids on marine lipids
SP Aubourg (Spain) 385

Polypeptide profile and functional properties of defatted meals and protein isolates of canola seeds
RE Aluko and T McIntosh (Canada) 391

Storage quality of chopped garlic as influenced by organic acids and high-pressure treatment
S-I Hong and D-M Kim (Korea) 397

Genetic diversity and mineral composition of common bean seed
JT Moraghan and K Grafton (USA) 404

Effect of irrigation on changes in the anthocyanin composition of the skin of cv Tempranillo (*Vitis vinifera* L) grape berries during ripening
MA Esteban, MJ Villanueva and JR Lissarrague (Spain) 409

Effect of aqueous and alkaline thermal treatments on chemical composition and oligosaccharide, alkaloid and tannin contents of *Lupinus campestris* seeds
C Jiménez-Martínez, H Hernández-Sánchez, G Alvárez-Manilla, N Robledo-Quintos, J Martínez-Herrera and G Dávila-Ortiz (Mexico) 421

Relationship between thermomechanical properties and baking expansion of sour cassava starch (*Polvilho azedo*)
AC Bertolini, C Mestres, D Lourdin, G Della Valle and P Colonna (France) 429

Sensory and chemical changes in five varieties of carrot (*Daucus carota* L) in response to mechanical stress at harvest and post-harvest
R Seljåsen, GB Bengtsson, H Hoftun and G Vogt (Norway) 436

Effect of ripening on the mechanical properties of Portuguese and Spanish varieties of olive (*Olea europaea* L)
DMR Georget, AC Smith and KW Waldron (UK) 448

Effect of maturity on the amino acid profiles of total and nitrogen fractions in common vetch forage
A Rebolé, J Treviño, R Caballero and C Alzueta (Spain) 455

Calendar of meetings 462

ISSUE 5

Review

Cichorium intybus L – cultivation, processing, utility, value addition and biotechnology, with an emphasis on current status and future prospects
HP Bais and GA Ravishankar (India) 467

Papers

HPLC flavonoid profiles as markers for the botanical origin of European unifloral honeys
FA Tomás-Barberán, I Martos, F Ferreres (Spain), BS Radovic and E Anklam (Italy) 485

Effect of irradiation, with and without cooking of maize and kidney bean flours, on porridge viscosity and *in vitro* starch digestibility
GO Rombo, JRN Taylor and A Minnaar (South Africa) 497

Fate of foodborne bacterial pathogens in pesticide products
TY Guan, G Blank, A Ismond and R Van Acker (Canada) 503

Effect of toasting time on the browning of sliced bread
A Ramírez-Jiménez, B García-Villanova and E Guerra-Hernández (Spain) 513

Myofibrillar protein degradation of carp (*Labeo rohita* (Hamilton)) muscle after post-mortem unfrozen and frozen storage
SK Jasra, PK Jasra and CL Talesara (India) 519

Volatile compounds in *Bacillus*-fermented soybeans
A Leejeerajumnean, SC Duckham, JD Owens and JM Ames (UK) 525

Antioxidant activity of fresh and processed edible seaweeds
A Jiménez-Escrig, I Jiménez-Jiménez, R Pulido and F Saura-Calixto (Spain) 530

Calendar of meetings 535

ISSUE 6

Identification of gas-producing components in different varieties of *Phaseolus vulgaris* by *in vitro* fermentation
M Granito (Venezuela), M Champ, A David, C Bonnet (France) and M Guerra (Venezuela) 543

Combination of bulk storage in controlled and modified atmospheres with modified atmosphere packaging system for chilled whole gutted hake
C Ruiz-Capillas, J Morales, and A Moral (Spain) 551

Quantitative assessment of antioxidant properties of natural colorants and phytochemicals: carotenoids, flavonoids, phenols and indigoids. The role of β-carotene in antioxidant functions
S Beutner, B Bloedorn, S Frixel, IH Blanco, T Hoffmann, H-D Martin, B Mayer, P Noack, C Ruck, M Schmidt, I Schülke, S Sell, H Ernst, S Haremza, G Seybold, H Sies, W Stahl (Germany) and R Walsh (UK) 559

Volatile flavour compounds in suspension culture of *Agastache rugosa* Kuntze (Korean mint)
TH Kim, JH Shin, HH Baek and HJ Lee (Korea) 569

^{31}P NMR analysis of chicken breast meat vacuum tumbled with NaCl and various phosphates
R Li, WL Kerr, RT Toledo and Q Teng (USA) 576

Optimisation of the Amido Black assay for determination of the protein content of grape juices and wines
KC Weiss and LF Bisson (USA) 583

Effects of harvesting procedure, storage time and climatic conditions on cooking time of lentils (*Lens culinaris* Medikus)
C Iliadis (Greece) 590

Combining high-amylose and waxy starch mutations in barley
JS Swanston, RP Ellis, IM Morrison, GR Mackay, MFB Dale, A Cooper, SA Tiller, CM Duffus, MP Cochrane, RDM Prentice, L Paterson and A Lynn (UK) 594

Calendar of meetings 604

ISSUE 7

Sherry wine vinegar: physicochemical changes during the acetification process
ML Morales, W Tesfaye, MC García-Parrilla, JA Casas and AM Troncoso (Spain) 611

Roasting effects on fatty acid distributions of triacylglycerols and phospholipids in sesame (*Sesamum indicum*) seeds
H Yoshida, S Abe, Y Hirakawa and S Takagi (Japan) 620

Correlation between antiradical activity and stability of betanine from *Beta vulgaris* L roots under different pH, temperature and light conditions
MA Pedreño and J Escribano (Spain) 627

The quality of frozen African sharptooth catfish (*Clarias gariepinus*) fillets under long-term storage conditions
LE Anelich, LC Hoffman and MJ Swanepoel (South Africa) 632

Pigments in Greek virgin olive oils: occurrence and levels
E Psomiadou and M Tsimidou (Greece) 640

Dynamics of physicochemical and biological parameters during the co-composting of chestnut burr/leaf litter with solid poultry manure
E Guerra-Rodríguez, M Vázquez and M Diáz-Raviña (Spain) 648

Diferulates as structural components in soluble and insoluble cereal dietary fibre
M Bunzel (Germany), J Ralph, JM Marita, RD Hatfield (USA) and H Steinhart (Germany) 653

The determination of flesh productivity and protein components of some fish species after hot smoking
M Ünlüsayın, S Kaleli and H Gülyavuz (Turkey) 661

Effect of microbial transglutaminase on the functional properties of megrim (*Lepidorhombus boscii*) skin gelatin
MC Gómez-Guillén, AI Sarabia, MT Solas and P Montero (Spain) 665

Calendar of meetings 674

ISSUE 8

Detection of inverted beet sugar adulteration of honey by FTIR spectroscopy
S Sivakesava and J Irudayaraj (USA) 683

Degradation kinetics of beetroot pigment encapsulated in polymeric matrices
GS Serris and CG Biliaderis (Greece) 691

Search for predictors of cooking quality of marrowfat pea (*Pisum sativum* L) cultivars
GP Savage, GE Savage, AC Russell and JP Koolaard (New Zealand) 701

Effect of heating temperature, pH, concentration and starch/whey protein ratio on the viscoelastic properties of corn starch/whey protein mixed gels
J Shim and SJ Mulvaney (USA) 706

Effect of various indigenous processing methods on the α-galactoside and mono- and disaccharide content of an Indian tribal pulse, *Mucuna pruriens* var *utilis*
P Siddhuraju and K Becker (Germany) 718

Precision nutrition: weighing feed ingredients correctly
T van Kempen, B Park, M Hannon and P Matzat (USA) 726

Automated HPLC method for the measurement of free amino acids including cysteine in musts and wines; first applications
L Pripis-Nicolau, G de Revel, S Marchand, AA Beloqui and A Bertrand (France) 731

Preliminary studies on the influence of boron on the foliar biomass and quality of tobacco leaves subjected to NO_3^- fertilisation
JM Ruiz, LR Lopez-Lefebre, E Sanchez, RM Rivero, PC Garcia and L Romero (Spain) ... 739

12-Lipoxygenase activity in the muscle tissue of Atlantic mackerel (*Scomber scombrus*) and its prevention by antioxidants
S Saeed and NK Howell (UK) 745

Statistical validation of sensory data: a study on wine
A Carlucci and E Monteleone (Italy) 751

Emulsifying properties of soy protein isolate fractions obtained by isoelectric precipitation
BE Chove, AS Grandison and MJ Lewis (UK) 759

The effect of drying on black tea quality
SJ Temple, CM Temple (Malawi), AJB van Boxtel (The Netherlands) and MN Clifford (UK) 764

Cell wall polysaccharides of bush butter (*Dacryodes edulis* (G Don) HJ Lam) fruit pulp and their evolution during ripening
CE Missang (Gabon), CMGC Renard, A Baron and JF Drilleau (France) 773

Changes in the pectic fraction of bush butter (Dacryodes edulis (G Don) HJ Lam) fruit pulp during ripening
CE Missang (Gabon), CMGC Renard, A Baron and JF Drilleau (France) 781

Presence of furosine in honeys
M Villamiel, MD del Castillo, N Corzo and A Olano (Spain) 790

Calendar of meetings 794

ISSUE 9

Selected papers given at the 'International Conference on the Nutritional Enhancement of Plant Foods', held at the John Innes Centre, Norwich, UK from 6–9 September 2000 under the auspices of the EU concerted action 'The Nutritional Enhancement of Plant Foods in European Trade (NEODIET)' FAIR CT-97-3052

Guest Editor: DG Lindsay

Editorial
International Conference on the Nutritional Enhancement of Plant Foods
DG Lindsay (UK) 803

Keynote Lecture
Agricultural biotechnology
CJ Arntzen (USA) 805

Featured Article
Organic agriculture: does it enhance or reduce the nutritional value of plant foods?
K Brandt and JP Mølgaard (Denmark) 924

Papers
Prospects of international initiatives in agri-food biotechnology
GT Tzotzos (Austria) 810

The activities of the International Service for the Acquisition of Agribiotech Applications (ISAAA) in crop biotechnology transfer
C James (USA) 813

Elevation of carotenoids in tomato by genetic manipulation
PD Fraser (UK), S Römer (Germany), JW Kiano, CA Shipton, PB Mills, R Drake, W Schuch and PM Bramley (UK) 822

Approaches to improving the bioavailability and level of iron in rice seeds
P Lucca, R Hurrell and I Potrykus (Switzerland) 828

Folate distribution during higher plant development
B Gambonnet, S Jabrin, S Ravanel, M Karan, R Douce and F Rébeillé (France) 835

Evidence for health benefits of plant phenols: local or systemic effects?
P C H Hollman (The Netherlands) 842

Phenolic compounds and related enzymes as determinants of quality in fruits and vegetables
F A Tomás-Barberán and J C Espín (Spain) 853

Genes affecting starch biosynthesis exert pleiotropic effects on the protein content and composition of pea seeds
R K Hughes, N Desforges, C Selwood, R Smith, C I Speirs (UK), G Sinnaeve (Belgium), P G Gorton, J Wiseman, K Jumel, S E Harding, S E Hill, V Street, T L Wang and C L Hedley (UK) 877

Towards the production of pharmaceutical fatty acids in transgenic plants
J A Napier and L V Michaelson (UK) 883

Flaxseed as a functional food source
B D Oomah (Canada) 889

Phytosterols – what plant breeders should focus on
T A Miettinen (Finland) 895

Lutein in patients with cataracts and age-related macular degeneration: a long-term supplementation study
B Olmedilla, F Granado, I Blanco, M Vaquero and C Cajigal (Spain) 904

Thermal isomerisation susceptibility of carotenoids in different tomato varieties
M Nguyen, D Francis and S Schwartz (USA) 910

Carotenoids and flavonoids in organically grown spinach (*Spinacia oleracea* L) genotypes after deep frozen storage
U Kidmose, P Knuthsen, M Edelenbos, U Justesen and E Hegelund (Denmark) 918

Comparison of red beet (*Beta vulgaris* var *conditiva*) varieties on the basis of their pigment components
M N Gasztonyi, H Daood, M T Hájos and P Biacs (Hungary) 932

Detection of anthocyanins from elderberry juice in human urine
M Murkovic, U Mülleder, U Adam and W Pfannhauser (Austria) 934

Applicability of microbiological assay and affinity chromatography purification followed by high-performance liquid chromatography (HPLC) in studying folate contents in rye
M S Kariluoto, L T Vahteristo and V I Piironen (Finland) 938

Chemometric analyses of 'Golden Smoothee' apples treated with two preharvest calcium spray strategies in the growing season
A Benavides, I Recasens, T Casero and J Puy (Spain) 943

Post-harvest increase of indolyl glucosinolates in response to chopping and storage of *Brassica* vegetables
R Verkerk, M Dekker and W M F Jongen (The Netherlands) 953

Cell death in the colorectal cancer cell line HT29 in response to glucosinolate metabolites
E K Lund, T K Smith, R G Clarke and I T Johnson (UK) 959

Sodium selenate fertilisation increases selenium accumulation and decreases glucosinolate concentration in rapid-cycling *Brassica oleracea*
C S Charron, D A Kopsell, W M Randle and C E Sams (USA) 962

Calendar of meetings 967

ISSUE 10

Electrophoretic patterns of microwaved and γ-irradiated beef liver proteins
R S Farag, R A Hegazy, K H El-Khawas and M M Farag (Egypt) 975

Lycopene content differs among red-fleshed watermelon cultivars
P Perkins-Veazie, J K Collins, S D Pair and W Roberts (USA) 983

Physicochemical properties and application of pullulan edible films and coatings in fruit preservation
T Diab, C G Biliaderis, D Gerasopoulos and E Sfakiotakis (Greece) 988

Aflatoxins, ochratoxin A and zearalenone in Brazilian corn cultivars
M Machinski Jr, L M V Soares, E Sawazaki, D Bolonhezi, J L Castro and N Bortolleto (Brazil) 1001

Hard-to-cook tendency of chickpea (*Cicer arietinum* L) varieties
C Reyes-Moreno, O Rouzaud-Sandez, J Milán-Carrillo, J A Garzón-Tiznado and L Camacho-Hernández (Mexico) 1008

Development of normal and branched chain volatile fatty acids during the fermentation process in the manufacture of fish sauce
N G Sanceda, E Suzuki and T Kurata (Japan) 1013

Comparison of the antioxidant and pro-oxidant activities of broccoli amino acids with those of common food additivies
M Martínez-Tomé, F García-Carmona and M Antonia Murcia (Spain) 1019

The effect of cooking on the location and concentration of oxalate in three cultivars of New Zealand-grown oca (*Oxalis tuberosa* Mol)
P B E Albihn (Sweden) and G P Savage (New Zealand) 1027

Preparation of flavanol-rich green tea extract by precipitation with $AlCl_3$
Z-Y Chen, S Wang, K M S Lee, Y Huang and W K K Ho (People's Republic of China) 1034

Porcine plasma protein as proteinase inhibitor in bigeye snapper (*Priacanthus tayenus*) muscle and surimi
S Benjakul, W Visessanguan and C Srivilai (Thailand) 1039

Calendar of meetings 1047

ISSUE 11

Response of intestinal proteinase activities to the feeding of isolated winged bean (*Psophocarpus tetragonolobus*) and soya bean (*Glycine max*) trypsin inhibitors in rats
N Nishino, M Taniguchi and E Sakaguchi (Japan) 1055

Impact of environment and interactions of *Fusarium verticillioides* and *Fusarium proliferatum* with *Aspergillus parasiticus* on fumonisin B_1 and aflatoxins on maize grain
S Marín, X Albareda, A J Ramos and V Sanchis (Spain) 1060

Theoretical comparison of a new and the traditional method to calculate *Clostridium botulinum* survival during thermal inactivation
O H Campanella and M Peleg (USA) 1069

Nutrient composition and the use of solubility to estimate rumen degradability of food proteins in cattle
A S Chaudhry and A J F Webster (UK) 1077

Electrophoresis to determine the molecular weight distribution in soluble proteins from various foods and their rumen-resistant residues in cattle
A S Chaudhry and A J F Webster (UK) 1087

Minerals, phytic acid, tannin and rutin in buckwheat seed milling fractions
K J Steadman, M S Burgoon, B A Lewis, S E Edwardson and R L Obendorf (USA) 1094

Physicochemical and colorimetric evaluation of local varieties of tomato grown in SE Spain
R Gómez, J Costa, M Amo, A Alvarruiz, M Picazo and J E Pardo (Spain) 1101

Effects of roasting on chemical composition and quality of different chestnut (*Castanea sativa* Mill) varieties
U Künsch, H Schärer, B Patrian, E Höhn, M Conedera, A Sassella, M Jermini and G Jelmini (Switzerland) 1106

Characterisation of *Leucaena* condensed tannins by size and protein precipitation capacity
N J T Osborne and D M McNeill (Australia) 1113

The presence of bioactive peptides in hydrolysates prepared from processing waste of sardine (*Sardina pilchardus*)
R Ravallec-Plé, C Charlot (France), C Pires, V Braga, I Batista (Portugal), A Van Wormhoudt, Y Le Gal and M Fouchereau-Péron (France) 1120

Dry bean cultivar characterisation by isoelectric focusing electrophoresis in polyacrylamide gel
RMR Guerrero, RO García and PÁ Martínez (Spain) 1126

Calendar of meetings 1132

ISSUE 12

Phytate content and phytate degradation by endogenous phytase in pea (*Pisum sativum*)
M Fredrikson, ML Alminger, N-G Carlsson and A-S Sandberg (Sweden) 1139

Glucose, fructose and sucrose content in broccoli, white cabbage and Portugese cabbage grown in early and late seasons
E Rosa, M David and MH Gomes (Portugal) 1145

Estimates of the efficiency of transfer of L-histidine from blood to milk when it is the first-limiting amino acid for secretion of milk protein in the dairy cow
C-H Kim, J-J Choung and DG Chamberlain (UK) 1150

Degradation and metabolism of ^{14}C-labelled proanthocyanidins from carob (*Ceratonia siliqua*) pods in the gastrointestinal tract of the rat
R Abia and SC Fry (UK) 1156

Effects of variety and stage of fruit ripeness on the physicochemical and sensory characteristics of deep-fat-fried banana chips
W Ammawath, YB Che Man, S Yusof and RA Rahman (Malaysia) 1166

Study and quantification of monomeric flavan-3-ol and dimeric procyanidin quinonic forms by HPLC/ESI-MS. Application to red wine oxidation
N Vivas de Gaulejac, N Vivas, MF Nonier, C Absalon and G Bourgeois (France) 1172

Effects of legume processing on calcium, iron and zinc contents and dialysabilities
V Sebastiá, R Barberá, R Farré and MJ Lagarda (Spain) 1180

Intestinal structure and function of broiler chickens on diets supplemented with a mannan oligosaccharide
PA Iji, AA Saki and DR Tivey (Australia) 1186

Optimisation of enzymatic esterification of soybean oil deodoriser distillate
NL Facioli and D Barrera-Arellano (Brazil) 1193

Post mortem muscle protein degradation during ice-storage of Arctic (*Pandalus borealis*) and tropical (*Penaeus japonicus* and *Penaeus monodon*) shrimps: a comparative electrophoretic and immunological study
I Martinez, T Jakobsen Friis and M Careche (Norway) 1199

Calendar of meetings 1209

ISSUE 13

Effects of processing and storage on walnut (*Juglans regia* L.) tannins
KWC Sze-Tao, JE Schrimpf, SS Teuber, KH Roux and SK Sathe (USA) 1215

Emulsifying activity and emulsion stability of corn gluten meal
YV Wu (USA) 1223

A study on the colour and sensory attributes of high-hydrostatic-pressure jams as compared with traditional jams
J Gimenez, P Kajda, L Margomenou, J R Piggott and I Zabetakis (UK) 1228

The effect of feeding pods of multipurpose trees (MPTs) on the degradability of dry matter and cell wall constituents of maize stover and alfalfa incubated in the rumen of sheep
A T Ngwa, I V Nsahlai and M L K Bonsi (South Africa) 1235

Methyl jasmonate reduces chilling injury symptoms and enhances colour development of 'Kent' mangoes
G A González-Aguilar, J G Buta and C Y Wang (USA) 1244

A qualitative probabilistic model of microbial outbursts in foods
R Engel, M D Normand, J Horowitz and M Peleg (USA) 1250

Fermentation characteristics, aerobic stability and ruminal degradation of ensiled pea/wheat bi-crop forages treated with two microbial inoculants, formic acid or quebracho tannins
M B Salawu, E H Warren and A T Adesogan (UK) 1263

Changes in colour and phenolic composition during the early stages of maturation of port in wood, stainless steel and glass
P Ho, M C M Silva and T A Hogg (Portugal) 1269

Amylolysis of maize mutant starches
C Gérard, P Colonna, A Buléon and V Planchot (France) 1281

Reactions of chickpea to water stress: yield and seed composition
M H Behboudian, Q Ma, N C Turner and J A Palta (Australia) 1288

Calendar of meetings 1292

ISSUE 14

Effect of industrial processing on amino acid content of broccoli
M A Murcia, B López-Ayerra, M Martinez-Tomé and F García-Carmona (Spain) 1299

Cranberry proanthocyanidins associate with low-density lipoprotein and inhibit *in vitro* Cu^{2+}-induced oxidation
M L Porter, C G Krueger, D A Wiebe, D G Cunningham and J D Reed (USA) 1306

Formulation of an oat-based fermented product and its comparison with yoghurt
O Mårtensson, C Andersson, K Andersson, R Öste and O Holst (Sweden) 1314

A new TLC method to detect the presence of ground papaya seed in ground black pepper
M M Paradkar, R S Singhal and P R Kulkarni (India) 1322

Effect of separate pod and root zone temperatures on yield and seed composition of three Spanish cultivars of groundnut (*Arachis hypogaea* L)
S D Golombek, A Sultana and C Johansen (India) 1326

Effect of calcium on mineral nutrient uptake and growth of tobacco
L R López-Lefebre, R M Rivero, P C Garcia, E Sánchez, J M Ruiz and L Romero (Spain) ... 1334

Effect of dietary lipid sources on odour-active compounds in muscle of turbot (*Psetta maxima*)
T Sérot, C Regost, C Prost, J Robin and J Arzel (France) 1339

Some studies directed at increasing the potential use of palmyrah (*Borassus flabellifer* L) fruit pulp
D D Ariyasena, E R Jansz and A M Abeysekera (Sri Lanka) 1347

Effects of gas composition in modified atmosphere packaging on the meat quality of Spanish Manchega lamb
H Vergara and L Gallego (Spain) 1353

Trypsin inhibitor activity in vegetative tissue of sweet potato plants and its response to heat treatment
Z Zhang and H Corke (Hong Kong) 1358

Colour fixation in ripe olives. Effects of type of iron salt and other processing factors
P García, M Brenes, C Romero and A Garrido (Spain) 1364

Effects of *Botrytis cinerea* infection on Champagne wine foaming properties
R Marchal, I Tabary, M Valade, D Moncomble, L Viaux, B Robillard and P Jeandet (France) 1371

Effect of the addition of calcium hydroxide on some characteristics of extruded products from blue maize (*Zea mays* L) using response surface methodology
JJ Zazueta-Morales, F Martínez-Bustos, N Jacobo-Valenzuela, C Ordorica-Falomir and O Paredes-López (Mexico) 1379

Effect of selenium spraying on green tea quality
Q Hu, J Xu and G Pan (China) 1387

The antioxidant activity and stability of the phenolic fraction of green olives and extra virgin olive oil
T Keceli (Turkey) and MH Gordon (UK) 1391

The fermentation of lactulose in rats inoculated with *Clostridium paraputrificum* influences the activities of liver and intestinal xenobiotic-metabolising enzymes
EF Lhoste, L Nugon-Baudon, S Lory, J-C Meslin and C Andrieux (France) 1397

Gas chromatographic analysis of alkylresorcinols in rye (*Secale cereale* L) grains
AB Ross, A Kamal-Eldin, C Jung (Sweden), MJ Shepherd (UK) and P Åman (Sweden) 1405

Book review 1412

Calendar of meetings 1413

ISSUE 15

Dephytinisation of rice bran and manufacturing a new food ingredient
W-H Fuh and B-H Chiang (Taiwan) 1419

Antioxidative and antimutagenic activities and the polyphenol contents of pesticide-free and organically cultivated green vegetables using water-soluble chitosan as a soil modifier and a leaf surface spray
H Ren, H Endo and Y Hayashi (Japan) 1426

Ascorbic acid destruction in aqueous model systems: an additional discussion
AM Rojas and LN Gerschenson (Argentina) 1433

Enzymic peeling of Indian grapefruit (*Citrus paradisi*)
S Prakash, RS Singhal and PR Kulkarni (India) 1440

Protective effects of chlorophyll a and pheophytin a derived from green tea (*Camellia sinensis*) on *p*-nonylphenol-induced cell growth inhibition and oxygen radical generation in yeast (*Saccharomyces serevisiae*)
Y Okai and K Higashi-Okai (Japan) 1443

Calcium chloride irrigation influence on yield, calcium content, quality and shelf-life of the white mushroom *Agaricus bisporus*
A Philippoussis, P Diamantopoulov and G Zervakis (Greece) 1447

Effect of the components of maize on the quality of masa and tortillas during traditional nixtamalisation process
F Martínez-Bustos, HE Martínez-Flores, E Sanmartín-Martínez, F Sánchez-Sinencio (Mexico), YK Chang, D Barrera-Arellano (Brazil) and E Rios (Mexico) 1455

Contribution of polyphenols to the oxidative stability of virgin olive oil
F Gutiérrez, T Arnaud and A Garrido (Spain) 1463

The response of proline metabolism to nitrogen deficiency in pods and seeds of French beans (*Phaseolus vulgaris* L cv Strike) plants
E Sánchez, JM Ruiz and L Romero (Spain) 1471

Chelation and reduction of iron by chicken muscle protein digests: the role of sulphydryl groups
DA Vattem, A Seth and RR Mahoney (USA) 1476

Acetyldiaminobutanoic acid, a potential lathyrogenic amino acid in leaves of *Acacia angustissima*
JD Reed (USA), G Gebre-Mariam, CJ Robinson, J Hanson, A Odenyo (Ethiopia) and PM Treichel (USA) 1481

Performance and carcass characteristics of growing pigs and broilers fed diets containing micronized barley, ground barley, wheat and maize
Y-L Lin (China), SK Baidoo (USA and Canada), JLL Boychuk (Canada) and HH Simmins (UK) 1487

Chemical composition and ruminal degradability of lucerne (*Medicago sativa*) products
AF Mustafa, DA Christensen and JJ McKinnon (Canada) 1498

Influence of heating conditions and starch on the storage modulus of Russet Burbank and Yukon Gold potatoes
R Bu-Contreras and MA Rao (USA) 1504

In vitro inhibition of α-chymotryptic activity by phenolic compounds
S Rohn, HM Rawel, N Pietruschinski and J Kroll (Germany) 1512

Nutritional assessment of protein from beans (*Phaseolus vulgaris* L) processed at different pH values in growing rats
T Nestares, M Barrionuevo, G Urbano and M López-Frías (Spain) 1522

Effects of heating and bleaching on formation of stigmastadienes in olive oil
MH Gordon and C Firman (UK) 1530

Classification of Slovak varietal white wines by volatile compounds
J Pet'ka, J Mocák, P Farkaš, B Balla and M Kováč (Slovakia) 1533

The allergenicity of ovomucoid and the effect of its elimination from hen's egg white
Y Mine and JW Zhang (Canada) 1540

Changes of volatiles in soy sauce-stewed pork during cold storage and reheating
T-T Liu, T-S Yang and C-M Wu (Taiwan) 1547

Effect of fermentation time on texture and microstructure of pickled carrots
E Llorca, A Puig, I Hernando, A Salvador, SM Fiszman and MA Lluch (Spain) 1553

Sensory and chemical changes in Chilean Cabernet Sauvignon wines during storage in bottles at different temperatures
HK Sivertsen, E Figenschou, F Nicolaysen and R Risvik (Norway) 1561

Antioxidant activities of volatile components isolated from *Eucalyptus* species
K-G Lee and T Shibamoto (USA) 1573

Content of bioactive compounds in pungent spice red pepper (paprika) as affected by ripening and genotype
MH Gnayfeed, HG Daood, PA Biacs (Hungary) and CF Alcaraz (Spain) 1580

Measurement of electrical conductivity, differential scanning calorimetry, and viscosity of starch and flour suspensions during gelatinisation process
S Chaiwanichsiri (Japan and Thailand), S Ohnishi (Thailand), T Suzuki, R Takai and O Miyawaki (Japan) 1586

Effectiveness of an ultrafiltration device for use with the enzyme hydrolysed protein method for determining endogenous ileal nitrogen and amino acid excretion in the pig
SM Hodgkinson and PJ Moughan (New Zealand) 1592

Book reviews 1597

Calendar of meetings 1599

Author index to volume 81 1604

Subject index to volume 81 1608

Contents of volume 81 1613